

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard 29 CFR 1910
Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form) Form Approved OMB no. 1218-0072

Identify (Code Number, Name)

2200426/19

CBC II

Section I Manufacturer's Name

Applied Research, Inc.
7367 Davie Rd. Ext
Hollywood, Fl 33024

Emergency Telephone Number
1-800-228-5635

Telephone # For Information
1-800-253-3500

Date Prepared: 12/06/95

HEALTH 1
FLAMMABILITY 1

REACTIVITY 0

Protective Equipment

A

Hazardous Components (Specify Chemical Identity, Common Name)	CAS #	OSHA PEL	ACGIH TLV	Other Recommended Limits	%
Isopropyl Alcohol	67-63-0	400 ppm	400 ppm		05-10
Liquified Petroleum Gas	68476-85-7	1000 ppm	1000 ppm		05-10

Section III Physical Characteristics

Boiling Point	212 Deg. F	Specific Gravity (Water =1)	0.978
Vapor Pressure	55	Melting Point	
Vapor Density	>1	Evaporation Rate	
Solubility In Water	Complete		
Appearance and Odor	White foam with citrus odor		

Section IV Fire and Explosion Hazard Data

Flash Point	Flammable Limits	LEL	UEL
None to Boiling (212 Deg.F)	Non-Flammable		
Extinguishing Media	Foam, CO2, Dry Media		