

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard 29 CFR 1910
Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form) Form Approved OMB no.1218-0072

Identify (Code Number, Name)

2200965/11

No Rust**Section I Manufacturer's Name**

Applied Research, Inc.
7367 Davie Rd. Ext
Hollywood, Fl 33024

Emergency Telephone Number
1-800-228-5635

Telephone # For Information
1-800-253-3500

Date Prepared: 05/15/96

HEALTH 1
FLAMMABILITY 2
REACTIVITY 0
Protective Equipment
VIII

Hazardous Components (Specify Chemical Identity, Common Name)	CAS #	OSHA PEL	ACGIH TLV	Other Recommended Limits	%
Ethyl Alcohol	64-17-5	1000 ppm	1000 ppm	N/A	40-60
Propylene Glycol Monomethyl Ether	107-98-2	100 ppm	100 ppm	N/A	01-05
Pent-(M-Digalloyl) Glucose	1405-55-4	N/E	N/E	N/A	01-05
Liquefied Petroleum Gas	68476-85-7	1000 ppm	1000 ppm	N/A	20-40

Section III Physical Characteristics

Boiling Point	~176 deg F	Specific Gravity (Water =1)	@75 deg F: 0.913
Vapor Pressure	(can/psig @ 70 deg F): 50	Melting Point	N/A
Vapor Density	>1	Evaporation Rate	

Solubility In Water	Slight
Appearance and Odor	Dark liquid/Mild Odor

Section IV Fire and Explosion Hazard Data

Flash Point	Flammable Limits	LEL	UEL
Concentrate: 78 deg F (T.O.C.)	Non-flammable spray	N/A	N/A

Extinguishing Media	Foam, dry chemical, carbon dioxide
----------------------------	------------------------------------