

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard 29 CFR 1910
Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form) Form Approved OMB no.1218-0072

Identify (Code Number, Name)

8800402

Protect "B"**Section I Manufacturer's Name**

Applied Research, Inc.
7367 Davie Rd. Ext
Hollywood, FL 33024

Emergency Telephone Number
1-800-228-5635

Telephone # For Information
1-800-253-3500

Date Prepared: 04/20/98

HEALTH 1
FLAMMABILITY 0

REACTIVITY 0

Protective Equipment

N/A

Hazardous Components (Specify Chemical Identity, Common Name)	CAS #	OSHA PEL	ACGIH TLV	Other Recommended Limits	%
Propylene Glycol T-Butyl Ether	57018-52-7 (PTB)	N/E	N/E	N/A	

Section III Physical Characteristics

Boiling Point 212 F	Specific Gravity (Water =1) 1.002
Vapor Pressure N/D	Melting Point N/A
Vapor Density N/D	Evaporation Rate N/D

Solubility In Water	Dispersible
Appearance and Odor	Milky white liquid characteristic odor

Section IV Fire and Explosion Hazard Data

Flash Point	Flammable Limits	LEL	UEL
>200 F TCC	None	None	None

Extinguishing Media	Carbon dioxide or dry chemical on small fires. Foam (alcohol, polymer or ordinary) and water spray for large fires.
----------------------------	---