

**U.S. Department of Labor**Occupational Safety and Health Administration  
(Non-Mandatory Form) Form Approved OMB no.1218-0072**Material Safety Data Sheet**May be used to comply with  
OSHA's Hazard Communication Standard 29 CFR 1910  
Standard must be consulted for specific requirements.**Identify (Code Number, Name)**

2200140/14

S S C

**Section I Manufacturer's Name****Applied Research, Inc.**  
**7367 Davie Rd. Ext**  
**Hollywood, Fl 33024**Emergency Telephone Number  
1-800-228-5635Telephone # For Information  
1-800-253-3500

Date Prepared: 12/18/98

**HEALTH** 1**FLAMMABILITY** 2**REACTIVITY** 0

Protective Equipment

B

Hazardous Components (Specify Chemical Identity, Common Name)	CAS #	OSHA PEL	ACGIH TLV	Other Recommended Limits	%
Isoparaffinic Hydrocarbon	64741-66-8	400 ppm	400 ppm		20-40
Isoparaffinic Hydrocarbon	64742-48-7	200 ppm	200 ppm		10-20
Food Grade Mineral Oil	8042-47-5	5mg/M3	5mg/M3		40-80
Carbon Dioxide Propellant	124-38-9	10000ppm	10000 ppm		01-05

**Section III Physical Characteristics**

<b>Boiling Point</b>	~240 F	<b>Specific Gravity (Water =1)</b>	0.823
<b>Vapor Pressure</b>	80 (Can)	<b>Melting Point</b>	N/A
<b>Vapor Density</b>	>1	<b>Evaporation Rate</b>	N/A

<b>Solubility In Water</b>	Slight
<b>Appearance and Odor</b>	Cloudy liquid with mint scent

**Section IV Fire and Explosion Hazard Data**

<b>Flash Point</b>	<b>Flammable Limits</b>	<b>LEL</b>	<b>UEL</b>
110 F (Concentrate)	Extremely Flammable Spray	N/A	N/A

<b>Extinguishing Media</b>	Foam, CO2, Dry Media
----------------------------	----------------------