

**Material Safety Data Sheet**

May be used to comply with  
OSHA's Hazard Communication Standard 29 CFR 1910  
Standard must be consulted for specific requirements.

**U.S. Department of Labor**

Occupational Safety and Health Administration  
(Non-Mandatory Form) Form Approved OMB no.1218-0072

**Identify (Code Number, Name)**

1250256

**Under & Under****Section I Manufacturer's Name**

**Applied Research, Inc.**  
**7367 Davie Rd. Ext**  
**Hollywood, FL 33024**

Emergency Telephone Number  
1-800-228-5635

Telephone # For Information:

1-800-253-3500

Date Prepared: 03/14/95

**HEALTH**  
**FLAMMABILITY**

**REACTIVITY**

Protective Equipment

Hazardous Components (Specify Chemical Identity, Common Name)	CAS #	OSHA PEL	ACGIH TLV	Other Recommended Limits
*Diethylene Glycol Methyl Ether	111-77-3		1.0 ppm	
Dipropylene Glycol Monomethyl Ether		100 ppm	100 ppm	
*Diethylene Glycol Methyl Ether is subject to SARA Section 313				

**Section III Physical Characteristics**

<b>Boiling Point</b>	100 Deg. C.	<b>Specific Gravity (Water =1)</b>	>1
<b>Vapor Pressure</b>	N/A	<b>Melting Point</b>	N/A
<b>Vapor Density</b>	>1	<b>Evaporation Rate</b>	N/A
<b>Solubility In Water</b>	Infinite		
<b>Appearance and Odor</b>	Milky white liquid		

**Section IV Fire and Explosion Hazard Data**

<b>Flash Point</b>	<b>Flammable Limits</b>	<b>LEL</b>	<b>UEL</b>
N/A			

**Extinguishing Media** Fight source of fire with water spray, carbon dioxide, chemical foam